

Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014 and ANSI/ASSP Z359.7-2019



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221 (800) 719-4619

Declaration #

A1215063a

Declaration Date

12/15/2021

Tested Item #

7393B

Rotating Bolt-on D-Ring Anchor, 10k

Additional Items Conforming Under this Declaration:

7393BS

7393BW

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following product standard(s):

ANSI Z359.18-2017

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

Level 3

Level 1: FallTech Lab
Outside the Scope of
ISO/IEC Standard 17025:2005

Level 2: FallTech Lab
Within the Scope of
ISO/IEC Standard 17025:2005

Level 3: Independent 3rd Party Lab
accredited to
ISO/IEC Standard 17025:2005

Supporting
Documentation

PC-2410

Authorized Signature

Name

Zachary Winters

Title

Engineering Manager

Date

12/15/2021



International Accreditation Service, Inc
3060 Saturn St, Ste 100
Brea, CA 92821 +1 562-364-8201

FallTech Lab - TL-594
ISO/IEC 17025:2017
Alexander Andrew Inc dba FallTech

FallTech Test Report

Test Report No.	PC-2410	Rpt. Date	10/22/2021	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.18-2017: 4.2.1, 4.2.2, 4.2.3,				
Part No.	7393B	Part No. Revision	A				
Part Description	Rotating Bolt-on D-Ring Anchor, 10k						
Test Request No.	PC-2410	Date Complete	10/21/2021				
Test Operator(s)	Yesbet Sierra / Jay Sponholz						

Material/Sample Identification

Sample ID	Description
SST1	Rotating Bolt-on D-Ring Anchor, 10k
SST2	Rotating Bolt-on D-Ring Anchor, 10k
SST3	Rotating Bolt-on D-Ring Anchor, 10k
DPT1	Rotating Bolt-on D-Ring Anchor, 10k
DPT2	Rotating Bolt-on D-Ring Anchor, 10k
DPT3	Rotating Bolt-on D-Ring Anchor, 10k
RDPT1	Rotating Bolt-on D-Ring Anchor, 10k
RDPT2	Rotating Bolt-on D-Ring Anchor, 10k
RDPT3	Rotating Bolt-on D-Ring Anchor, 10k

Test Summary

Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.18-2017 4.2.1.1 w/ 10,000 lbs	Static Strength	≥ 5,000 Lbf	5003.4 lbF	Pass
	Maintain Load	≥ 3 Minutes	3 Minutes	Pass
	Static Strength	≥ 10,000 Lbf	10006.9 lbF	Pass
	Maintain Load	≥ 1 Minutes	1 Minutes	Pass
	Gate Separation	≥ 1/8"	No Gate	N/A
ANSI Z359.18-2017 4.2.1.1 w/ 10,000 lbs	Static Strength	≥ 5,000 Lbf	5007.9 lbF	Pass
	Maintain Load	≥ 3 Minutes	3 Minutes	Pass
	Static Strength	≥ 10,000 Lbf	10004.6 lbF	Pass
	Maintain Load	≥ 1 Minutes	1 Minutes	Pass
	Gate Separation	≥ 1/8"	No Gate	N/A
ANSI Z359.18-2017 4.2.1.1	Static Strength	≥ 5,000 Lbf	5027.3 lbF	Pass
	Maintain Load	≥ 3 Minutes	3 Minutes	Pass
	Static Strength	≥ 10,000 Lbf	10004.6 lbF	Pass
	Maintain Load	≥ 1 Minutes	1 Minutes	Pass
	Gate Separation	≥ 1/8"	No Gate	N/A
ANSI Z359.18-2017 4.2.2.1	Dynamic Strength	Shall Arrest a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	4674.5 lbF	Information
	Gate Separation	≥ 1/8"	No Gate	N/A
ANSI Z359.18-2017 4.2.2.1	Dynamic Strength	Shall Arrest a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	4593.5 lbF	Information
	Gate Separation	≥ 1/8"	No Gate	N/A



FallTech Test Report

Test Report No.	PC-2410	Rpt. Date	10/22/2021	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.18-2017: 4.2.1, 4.2.2, 4.2.3,				
Part No.	7393B	Part No. Revision	A				
Part Description	Rotating Bolt-on D-Ring Anchor, 10k						
Test Request No.	PC-2410	Date Complete	10/21/2021				


Test Summary (Continued)

Test Specification	Test Criteria	Test Result	Pass/Fail
ANSI Z359.18-2017 4.2.2.1	Dynamic Strength	Shall Arrest a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall
	Max Arrest Force	Information Only	4501.7 lbF
	Gate Separation	≥ 1/8"	No Gate
ANSI Z359.18-2017 4.2.3.1	Residual Dynamic Strength	Secondary Arrest of a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall
	Max Arrest Force	Information Only	5460.7 lbF
	Maintain Load	≥ 1 Minutes	1 Minutes
	Gate Separation	≥ 1/8"	No Gate
ANSI Z359.18-2017 4.2.3.1	Residual Dynamic Strength	Secondary Arrest of a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall
	Max Arrest Force	Information Only	5432.0 lbF
	Maintain Load	≥ 1 Minutes	1 Minutes
	Gate Separation	≥ 1/8"	No Gate
ANSI Z359.18-2017 4.2.3.1	Residual Dynamic Strength	Secondary Arrest of a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall
	Max Arrest Force	Information Only	5131.8 lbF
	Maintain Load	≥ 1 Minutes	1 Minutes
	Gate Separation	≥ 1/8"	No Gate

Conclusion

Based upon the samples provided to the Lab:
 FallTech P/N 7393B Rev. A meets the requirements of ANSI Z359.18-2017 with 10,000 lbs Static Strength

Report Signatories and Approval

Lab Quality Manager		Date	10/22/2021
---------------------	---	------	------------

Witnessed by	Not Required	Date	N/A
--------------	--------------	------	-----